

Container 'wiki'

Ressourcen

- 0.5 GB RAM
- 2 Cores
- 8 GB HDD (root-fs)

System

- interne IPs
 - 10.2.0.2, fd00:10:2:0::2

Dienste



Installation

- Standard-Template mit Benutzern

NGINX / PHP

1. NGINX und PHP-FPM installieren
 - **sudo apt-get install php7.3 php7.3-cli php7.3-fpm php7.3-gd php7.3-xml php7.3-zip nginx**
2. Default-Konfiguration anpassen

/etc/nginx/sites-available/default

```
server {
    listen 80 default_server;
    listen [::]:80 default_server;

    root /var/www/public_html;

    # Add doku.php as index
    index doku.php;

    server_name _;

    location / {
        try_files $uri $uri/ @dokuwiki;
    }

    # Do not serve config, data and .ht*
    # Comment during installation
    location ~ /(data/|conf/|bin/|inc/|install.php) {
        return 403;
    }
    location ~ /\.ht { deny all; }

    # Maximum POST-size and Buffer
    client_max_body_size 20M;
    client_body_buffer_size 128K;

    # Rewrite Rules
    location @dokuwiki {
        rewrite ^/_media/(.*) /lib/exe/fetch.php?media=$1 last;
```

```

rewrite ^/_detail/(.*) /lib/exe/detail.php?media=$1 last;
rewrite ^/_export/([^\s]+)/(.*) /doku.php?do=export_$1&id=$2 last;
rewrite ^/(.*) /doku.php?id=$1 last;
}

# pass PHP scripts to FastCGI server
location ~ /\.php$ {
    try_files $uri =404;
    fastcgi_pass unix:/var/run/php/php7.3-fpm.sock;
    fastcgi_index index.php;
    include fastcgi_params;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
}
}

```

3. Dienste aktivieren und neustarten

- **sudo systemctl enable nginx.service php7.3-fpm.service**
- **sudo systemctl restart nginx.service php7.3-fpm.service**

Dokuwiki

1. Dokuwiki-Verzeichnisse erstellen

- **sudo mkdir /var/www/{public_html,data}**

2. Dokuwiki installieren

- nach [Anleitung](#)
 - Entpacken in das Verzeichnis /var/www/public_html
 - Datenverzeichnis nach /var/www/data (bzw. ../data)

3. Cache-Cleanup einrichten

1. Cleanup-Skript

```
/usr/local/bin/cleanup_dokuwiki_cache.sh
```

2. Cleanup-Skript ausführbar machen

- **chmod +x /usr/local/bin/cleanup_dokuwiki_cache.sh**

3. Cleanup-Skript als Cronjob einrichten machen

- **<nowiki>echo -e „0 2 * * *\troot\t/usr/local/bin/cleanup_dokuwiki_cache.sh“ | sudo tee /etc/cron.d/dokwiki > /dev/null/</nowiki>**

Backup mit Borgmatic

1. Installation siehe [mariadb](#)

2. Konfiguration

```
/etc/borgmatic/config.yaml
```

```

...
location:
  # List of source directories to backup (required). Globs and
  # tildes are expanded.
  source_directories:
    - /etc
    - /home
    - /root
    - /var/log
    - /var/www
...

```

Dauerhafter Link zu diesem Dokument:

<https://wiki.technikkultur-erfurt.de/dienste:bytecluster002:wiki?rev=1609101010>

Dokument zuletzt bearbeitet am: **27.12.2020 20:30**



Verein zur Förderung von Technikkultur in Erfurt e.V

<https://wiki.technikkultur-erfurt.de/>